

# CUMULATIVE INDEX 1995

## Volume 7

March	ADVANCED PRACTICE NURSING, pages 1-76 NEURO-ONCOLOGY, pages 77-190
June	NEW TECHNOLOGIES IN CRITICAL CARE, pages 191-304 PSYCHOSOCIAL AND ENVIRONMENTAL CONSIDERATIONS IN CRITICAL CARE, pages 305-412
September	SUDDEN INJURY, ILLNESS, AND DEATH, pages 413-507 HARTFORD HOSPITAL TRAUMA SUPPORT PROGRAM, pages 509-599
December	INFECTION AND CONTROL IN CRITICAL CARE, pages 601-774

Note: Page numbers of article titles are in **boldface** type.

- AA. See *Astrocytomas, anaplastic*.
- AACN. See *American Association of Critical-Care Nurses (AACN)*.
- ABCDE (airway, breathing, circulation, disability, expose) survey  
of trauma victim, 484-485
- ABG. See *Arterial blood gas (ABG)*.
- Academic Medical Center Consortium, 19
- Accountability  
for advocacy, 392
- ACID. See *Automatic implantable cardioverter-defibrillator (ACID)*.
- ACNP. See *Acute care nurse practitioner (ACNP)*.
- Acquired immunodeficiency syndrome. See *AIDS (acquired immunodeficiency syndrome)*.
- Acquired immunodeficiency syndrome (AIDS). See *AIDS; HIV/AIDS and critical care*.
- Activity logs, 30
- Acute care, 61-69  
pediatric, 61-69
- Acute care nurse practitioner (ACNP), **1-6, 9-16, 25-32, 46**  
as physician substitute, 28  
as resident extender, 28  
comparison with physician, 30-31  
consumer satisfaction with, 29  
core content, 3-4  
evaluation practices of, 27-30  
performance criteria for, 13  
professional practice standards for, 46  
role of, 25-31  
evaluation considerations in, 26-27  
review of literature, 25-26  
specialty context of, 4-5
- Acute care versus critical care, 5-6
- Adenomas, 87
- Adult respiratory distress syndrome (ARDS)  
expert computer systems for, 208-211  
survival of, 209-211
- Advanced clinical practice, 66-67
- Advanced practice, 66-67  
and collaborative practice, 45-47  
structure of, 45
- Advanced practice nurse (APN), 9-16, 19-20, 43-59, 61-69  
as physician extender, 47  
in cardiovascular surgery, 54-55  
in critical care, 58  
role of  
in acute and specialty care, **25-34**  
in protocol development, 19-20
- unit-based  
as educator, 57  
consultation and, 57-58  
future of, 58  
in case management, 56  
in critical care, **53-59**  
in direct care, 56-57  
research and, 57  
review of literature, 53-54  
role of, 55-58  
theoretic perspectives and, 54-55
- Advanced practice nursing, **1-75**. See also *Advanced practice nurse (APN)*.  
acute care nurse practitioner in, **1-6, 9-16, 25-34**  
in neonatal intensive care unit, **71-76**  
in pediatric critical care, **61-70**
- Advanced practitioner (AP), 35-40  
qualifications for, 36  
role of, 35-40  
typical day for, 39-40

- Advocacy, 387-397  
 as nursing role, 387-388  
 risks in, 389-390  
 goal of, 388-389  
 influences on  
   effective moral agency, 392-394  
   ethical conflict, 389-390, 393-394  
   practice milieu, 390-392  
 meaning of, 388-390  
 strategies for  
   individual, 394-395  
   organizational, 395-396
- After care bereavement program(s), 519-527;  
 529-534
- Hartford Hospital program  
 family response to, 522  
 model for, 523  
 protocol for  
   contacting families in, 525  
   discharging families in, 525  
   evaluation of effectiveness in, 525  
   family survey in, 525-526  
   referral in, 523-524  
   resources in, 525
- volunteers in, 531-534  
 perspective of volunteer, 531-532  
 staff nurse as, 529-530  
 trauma patient as, 534
- in health care industry, studies of, 521-522
- nonhospital  
 bereaved, 521  
 community, 520  
 funeral industry, 520  
 hospice, 520  
 military, 520-521
- Age  
 effect on sleep, 344
- Agency for Health Care Policy and Research  
 (AHCPR), 19
- Agitation  
 definition of, 315-316  
 from physical restraint, 365  
 rating of and sedation for, 321-322
- AIDS (acquired immunodeficiency syndrome), 53  
 magazine headlines and, 745-746  
 media and, 745-747  
 nursing implications of, 746  
 risk from health care worker to patient, 745-746  
 risk patient to health care worker, 746
- Airway, breathing, circulation, disability, expose  
 (ABCD) survey  
 of trauma victim, 484-485
- Ambient temperature  
 effect on sleep, 346-347
- American Association of Critical Care Nurses (AACN),  
 54, 65
- American Cancer Society, 171
- American Medical Association (AMA), 19
- American Nurses Association (ANA), 1, 53
- American Nurses' Credentialing Center (ANCC), 64
- Americans with Disabilities Act (ADA)  
 employees with infections and, 710-711
- Aminoglycosides  
 aerosolized  
   resistance to, 671-672
- ANA. See *American Nurses Association (ANA)*.
- Analgesics  
 dosing schedules for  
   in sleep promotion, 342
- Anamnestic response  
 to antigen, 608
- Anatomic gifts. See *Organ and tissue donation*.
- ANCC (American Nurses' Credentialing Center), 64
- Anesthesia  
 general  
   definition of, 273  
   inhalation  
     for comfort of infants and children. See *Isoflurane*  
     (*Foranel*).
- Anger  
 children and death, 564-565
- Angiofibromas, 99
- Antiarrhythmic drugs  
 sudden cardiac death from, 422-423
- Antibiotic prophylaxis, 667-674  
 for disease from infection or colonization, 668-669  
 resistance to, 670-672  
   aerosolized aminoglycosides and, 671-672  
   cephalosporins and, 670-671  
   fluconazole and, 671-672  
   mechanisms of, 670  
   vancomycin and, 671  
   selective digestive decontamination as, 669-670  
   surgical, 667-668  
   timing of, 668
- Antibiotic resistance  
 in multiple-drug resistant tuberculosis, 749  
 in prophylaxis, 670-672. See also *Antibiotic*  
*prophylaxis, resistance to*.  
 media and, 748-749
- Antibiotic therapy  
 for soft-tissue wounds, 633-634
- Antibody synthesis, 607
- Antibody-antigen interactions, 607-608
- Antibody-mediated immunity  
 antibody synthesis and, 607  
 antibody-antigen interactions in, 607-608  
 sustained/memory, 608
- Anticonvulsants, 436-437  
 in pediatrics, 465-466
- Antiemetic agents, 141
- Antihypertensives  
 effect on sleep, 345
- Antimicrobials  
 topical  
   for intravascular devices, 676-677
- Anxiety  
 effect on sleep, 343-344  
 mechanical ventilation-associated, 308-310  
 music therapy and, 343-344
- AP. See *Advanced practitioner (AP)*.
- APN. See *Advanced practice nurse (APN)*.
- ARDS. See *Adult respiratory distress syndrome (ARDS)*.
- Arousal  
 in consciousness, 351-354
- Arrhythmogenesis  
 cardiac, 417, 418
- Arrhythmogenic right ventricular dysplasia (ARVD),  
 418
- Arterial blood gas (ABG)  
 monitoring of, 243-244
- Arterial oxygen content (Cao)  
 pulse oximetry for, 242-243
- Arteriography, 153
- Artificial intelligence  
 expert systems for, 221  
 fuzzy logic theory and, 221
- ARVD (arrhythmogenic right ventricular dysplasia), 418

- Aspiration
  - prevention of, 697-698
- Assessment and evaluation, advanced, 4-5
- Assurance
  - family need for, 376, 381-382
- Asthma
  - pediatric emergency, 459-461
- Astrocytes, 81-83
- Astrocytomas, 81-83, 103, 152, 164-165
  - anaplastic, 103
- Atherosclerosis, 175
- Atracurium
  - during mechanical ventilation, 320
- Attitudes
  - nurse's
    - in family-focused care, 382-383
    - toward physical restraint, 364-366
- Auditory stimulation
  - in sensory stimulation program, 359
- Automatic implantable cardioverter-defibrillator (AICD)
  - nonintravascular infection and
    - historical perspective of, 685
    - implantation procedure for, 685-686
    - infection risk with, 686
    - patient care and, 686
- Autonomic nervous system
  - in sudden cardiac death, 423-424
- Autopsy
  - after sudden infant death, 473, 476, 479-480
- Aziridinylbenzoquinone, 140
- Bacterial infection
  - in solid-organ transplant recipient, 644-645
  - in traumatic and burn injuries, 636
- Bacterial myonecrosis
  - in traumatic wounds, 635-636
- B-cell lymphocytes
  - in antibody-mediated immunity, 607-608
  - in immunity, 607-608
- Beliefs
  - cross-cultural
    - in health crises, death, organ donation/transplantation, 581-594
  - nurse's
    - in family-focused care, 382-383
- Benzodiazepines
  - during mechanical ventilation, 318-319
- Beta rays, 104
- Bipolar coagulator, 91
- Blood flow
  - coronary
    - during cardiopulmonary resuscitation, 227-228
- Blood pressure
  - closed-loop system control of, 212
- Blood pressure-pulse-respiration
  - in neurologic assessment, 429
- Blood transfusion
  - closed-loop system control of, 213
- BNCT (boron-neutron capture therapy), 109-110
- Bone scans, radionucleotide, 153
- Boron-neutron capture therapy (BNCT), 109-110
- Brachytherapy, 107, 108, 120, 121, 128, 145
- Brain
  - information processing by, 353-354
  - arousal and cognition and, 352-353
  - neurophysiology of, 352-354
- Brain abscess, 100
- Brain injury
  - emergent
    - assessment of, 441-443
    - traumatic, 463
- Brain stem gliomas, 165-166
- Brain tumor(s), 79-182
  - chromosomal abnormalities and, 79
  - extrinsic, 85-88
    - hemangioblastomas, 87
    - meningiomas, 85-86
    - nerve sheath, 87
    - neuroepithelial, 87
    - pituitary, 87-88
    - sarcomas, 86-87
  - gliomas, 103-113
    - prognostic factors and, 105-106
    - treatment of, 104-107
  - histologic classification of, 103-104
  - hyperthermia for, 115-123
  - incidence of, 103
  - intrinsic, 81-85
    - astrocytomas, 81-83
    - ependymomas, 83
    - germ cell, 84-85
    - intrinsic
      - oligodendrogliomas, 83
      - papillomas, 85
    - lymphomas, 84-85
    - medulloblastomas, 84-85
  - metastatic, 79-80, 143-149
    - brachytherapy for, 145
    - case studies of, 146-148
    - chemotherapy for, 146
    - clinical picture of, 144
    - diagnosis of, 144
    - nursing concerns in, 148
    - radiation therapy for, 144-145
    - radiosurgery for, 145
    - surgical resection of, 144-145
    - treatment of, 144-145
  - nursing concerns with, 182
  - overview of, 80
  - pediatric, 159-168. See also *Pediatric brain tumors*.
  - radiation therapy for, 103-113, 103-114
    - delayed effects of, 125-133
    - recurrence of, 112-113
    - surgical treatment of, 91-100
    - treatment considerations in, 135-136
- Brain-injured patient
  - comatose
    - sensory input for, 351-361. See also *Sensory stimulation programs (SSPs)*.
- Breast cancer, 146-148
- Bridge-to-transplantation
  - circulatory support in
    - devices for, 251
    - results of, 252-253
- Bromodeoxyuridine, 139
- Bromodeoxyuridine labeling index, 103-104
- Bronchiolitis
  - pediatric emergency, 460
- Broviac catheter, 680
- Burn(s)
  - chemical, 628
  - electrical, 628
  - flame, 628
- Butterfly glioma, 83

- CAB (catheter-associated bacteremia), 676
- CAD (coronary artery disease)  
sudden cardiac death from, 416-417
- CAI (catheter-associated infection), 675-676
- Cancer  
extremely low frequency electromagnetic radiation and, 290-291
- Cannula  
duration of use and, 678
- CaO<sub>2</sub> See *Arterial oxygen content (CaO<sub>2</sub>)*.
- Capitation, 53
- Carbon monoxide emergency, 454-455
- Cardiac access program, 35-40  
advanced practitioner and  
role of, 37-39  
typical day of, 39-40  
description of unit, 37  
effectiveness of, 40  
patient population and demographics and, 37
- Cardiac emergency  
sudden cardiac death, 413-426
- Cardiac output  
measurement of  
methods for, 241-242
- Cardiac pump theory  
of cardiopulmonary resuscitation, 227-228
- Cardiogenic shock  
pediatric emergency, 461-462. See also *Congestive heart failure (CHF)*.
- Cardiology, 3
- Cardiomyopathy(ies)  
hypertrophic, 417-418  
ischemic, 416-417  
nonischemic, 418-420
- Cardiopulmonary bypass system (CPS), 250-251
- Cardiopulmonary resuscitation (CPR)  
abdominal binding and, 230-231  
active compression-decompression, 232-233  
advances in, 227-237  
comparison of methods for, 230-232, 234  
coronary blood flow during, theories of, 227-228, 231  
effectiveness of, measurements of, 228  
ethical practice and, 297  
interposed abdominal compression, 230-231  
manual, 228-229  
mechanical, 229-230  
vest, 231-232
- Cardiotomy  
postoperative  
circulatory support in  
results of, 252-253  
complications of, 252
- Cardiovascular emergency  
pediatric, 460-461
- Care decision model, 5
- Caregiver  
advocacy effect on, 390
- Carmustine, 136, 138
- Case manager, 73
- Catheter-associated bacteremia (CAB), 676
- Catheter-associated infection (CAI), 675-676
- CDC. See *Centers for Disease Control (CDC)*.
- CDC (Centers for Disease Control and Prevention), 19
- Cell-mediated immunity, 608-611  
B lymphocytes in, 607-608  
cytokines in, 610-611  
lymphokines in, 610  
natural killer cells in, 609-610  
T lymphocytes in, 608-609
- Centers for Disease Control and Prevention, 19. See also *Centers for Disease Control (CDC)*.
- Centers for Disease Control (CDC)  
health policy and, 727-728  
HIV infection/AIDS and  
Standard Precautions, 653  
Transmission-based Precautions, 653  
Hospital Infections Program of, 728
- Central venous catheter, 678-680  
cuff for, 678-679  
insertion sites for, 678  
insertion technique for, 679
- Central venous pressure (CVP) catheter, 679, 681-682
- Cephalosporins  
resistance to, 670-671
- Cerebral blood flow alterations  
emergent, 437-439
- Cerebral palsy, 61
- Cerebrospinal fluid (CSF), 171  
leak, 99
- Chaplain  
role on trauma support team, 516
- Charting  
computer automated, 204-206
- Chemotherapy, 113, 135-142, 163-164  
agents for, 136-137  
blood-brain barrier and  
alterations in, 139-140  
clinical trials of, 137-138, 140-141  
contemporary approaches to, 135-142  
hormonal therapy and, 140  
new developments in, 141-142  
radiosensitizers and, 139  
response criteria for, 137  
with bone marrow transplant, 138  
with polymer implants, 138-139  
with stem-cell transplant, 138
- Chest tubes  
noninvasive infection and  
care of, 686-687  
disposal of, 687  
insertion of, 686  
removal of  
experiences of, 310-311
- CHF. See *Congestive heart failure (CHF)*.
- Chronic obstructive pulmonary disease (COPD), 4
- Chronobiology  
influence of environment and, 327-328
- Circulation  
of trauma patient, 485
- Circulatory support  
mechanical  
clinical results with  
in adults, 252-253  
in infants and children, 254-255  
current and future, 249-258  
historical background of, 249-250  
total artificial heart in, 250-251  
ventricular assist devices in, 249-252. See *Ventricular assist devices (VADs)*.
- Cisplatin, 175-176
- Clerk/male aide  
emergency department  
role on trauma support team, 518
- Clinging behavior  
of children and death, 565

- Clinical forensic nursing, 489-507. See also *Forensic nursing*.
- Clinical nurse specialist (CNS), 18-22, 35-40, 54, 56, 61-69, 71-75  
   role of, 72
- Clinical practicum, 6
- Clothing  
   forensic nurse and  
     custody of, 494  
     documentation of, 493-494  
     examination of, 493  
     preservation of, 494  
     removal of, 494
- CN. See *Cranial nerve (CN)*.
- CNS. See *Clinical nurse specialist (CNS)*.
- Cocaine abuse  
   sudden cardiac death from, 423
- Cognition  
   in consciousness, 352-353
- Collaboration  
   administrative support of, 49-50  
   documentation in, 50  
   interdisciplinary rounds in, 50  
   participants in, 51-52  
   promotion of, 49-52  
   research and, 50-51  
   versus supervision, 10
- Collaborative practice  
   critical attributes of, 44-45  
   definition of, 44  
   elements of, 44-45  
   interdisciplinary team in, 47-49  
   operationalization in, 47-49  
   rationale for, 43-44
- Colony-stimulating factor (CSF), 141, 613-614
- Coma  
   description of, 352-353  
   recovery from  
     sensory stimulation programs in, 351-361. See also *Sensory stimulation programs (SSPs)*.
- Comfort  
   family need for, 376, 382  
   of pediatric patients, 267-274  
     clinical sedation scale in, 268  
     isoflurane for, 267-274. See also *Isoflurane (Foranel)*.  
     pharmaceutical restraint in  
       ideal agent for, 267  
     tolerance problem in, 268
- Community resources  
   for bereavement, 520-521, 525, 559
- Compensation and funding, 14-15
- Complementary care versus replacement care, 30-31
- Complexity, 5
- Computed tomography (CT), 1-4, 82-83, 86, 93, 120, 143, 153-154
- Computer generated three-dimensional imaging (PIXAR), 135
- Computers  
   closed-loop system control  
     of blood pressure, 212  
     of blood transfusion, 213  
     of drug delivery, 212  
     of mechanical ventilation, 211-212  
     of neuromuscular blockade, 213  
     of sedation, 213-214  
   current state of the art in, 203-211  
   alarms and alerts in  
     integration of, 207  
   charting in, automated, 204-206  
   data base in, fully integrated, 204, 207  
   decision support in, 205  
   reference and training materials in, access to, 206-207  
   expert systems in, 207-211  
   in critical care, 203-217
- Concepts and theories, 2-3
- Conflict, 49
- Conformal therapies, 107-109
- Congestive heart failure (CHF)  
   as pediatric emergency, 462-463  
   pharmacotherapy for, 463
- Consensus, 49
- Consensus Conference on Preparing Nurses for Advanced Practice in Acute Care, 1, 4
- Contamination  
   environmental and infection, 691
- Contemporary approaches to chemotherapy, 135-142
- Continuing education programs  
   infection surveillance in, 718
- Continuous lateral rotation therapy  
   in nosocomial pneumonia prevention, 699
- Continuous quality improvement (CQI) programs  
   professional associations and, 731
- COPD (chronic obstructive pulmonary disease), 4
- Coronary artery disease (CAD)  
   sudden cardiac death from, 416-417
- Coronary reperfusion, 421
- Cortical mapping, 99
- Cost/benefit  
   of invasive monitoring  
     analyses of, 246-247
- Cost(s)  
   of arterial blood gas monitors, 243  
   of bridge-to-transplantation procedure, 255  
   of critical care, 191-192  
   of gastric tonometer, 246  
   of invasive monitoring devices, 246-247  
   of isoflurane therapy, 271-272  
   of mechanical circulatory support device  
     permanent, 255  
   of optical fluorescence, 280-281  
   of pulmonary artery catheterization, 241  
   of pulse oximeters, 220  
   reduction of, 56
- Council for Advanced Practice Nursing, 1
- Council of Medical Specialty Societies, 19
- CPR. See *Cardiopulmonary resuscitation (CPR)*.
- CPS. See *Cardiopulmonary bypass system (CPS)*.
- Cranial nerve (CN), 92, 171
- Craniopharyngiomas, 167
- Credentialing  
   American Nurses' Credentialing Center and, 64  
   institutional, 11-14
- Crisis  
   emotional  
     children in, 560-562
- Critical care, 3, 53-59
- Critical care content, 5-6
- Critical care-acquired pneumonia. See *Nosocomial pneumonia*.
- Critical incident debriefing  
   staff  
     after sudden infant death syndrome death, 480  
     in trauma/death of colleague, 537, 539
- Cryptosporidiosis  
   AIDS-associated, 657  
   from contaminated city water  
     media and, 750

- CSF. See *Cerebrospinal fluid (CSF)*; *Colony-stimulating factor (CSF)*.
- CT. See *Computed tomography (CT)*.
- Culture
- institutional
    - advocacy and, 391-392
    - physical restraint and, 368
- Curriculum content, 1-6
- Cushing, Harvey, 91
- CVP (central venous pressure) catheter, 679, 681-682
- Cyclophosphamide, 146
- Cytokines
- in cell-mediated immunity, 610-611
- Data
- agency-specific
    - access to, 194-195
    - application to nurse staffing, 197
    - application to patient-specific, 196
    - care libraries of, 196-197
    - presentation of, 199
  - domain-specific
    - acquisition of, 195
    - presentation of, 199
  - patient-specific
    - acquisition of, 194
    - presentation of, 198-199
    - severity-of-illness measures of, 195-197
    - transformation of, 195-196
- Death
- beliefs and customs related to, 581-594
  - children and
    - reactions to, 564-565
    - telling about, 562-564
  - determination of
    - brain death in, 571-572
    - cessation of circulation and respiration in, irreversible, 571
  - infant
    - support of family in, 545
  - notification of, 537-538, 544-545, 549-555. See also *Death-telling research project*.
  - of child
    - caregiver considerations in, 565-566
    - family support in, 559-560
  - of emergency department patient
    - evidential material and, 545
    - family and, 544-546
    - forensic nurse and, 497-498
    - notification of family, 544-545
    - release of information in, 545
  - of staff colleague. See *Staff support, in trauma/death of colleague*.
- Death and dying, 4
- Death-telling research project, 549-555
- assessment of physicians in
    - checklist for, 550, 553-554
  - guideline development, 551-552
  - testing of videotape, 550-551
    - telephone survey of families, 551, 554-555
  - videotape instruction in, 550
- Decision making
- computer support in, 205
- Deep-vein thrombosis, 96
- Delirium
- definition of, 315-316
- Denial
- of death, children and, 564
- Diabetes, 4, 162
- insipidus, 162
- Dialysate solution
- in peritoneal dialysis
    - attachment to catheter, 688
    - disposal of, 688
    - warming of, 688
- Diarrhea
- cryptosporidial, 750
  - from contaminated city water, 750
  - HIV infection/AIDS and, 657
- Diazepam
- in mechanical ventilation, 318
- DIC (disseminated intravascular coagulation), 185
- Direct care, 2
- Discomfort
- effect on sleep, 342-343
  - procedural, 347
- Disseminated intravascular coagulation (DIC), 185
- Distress
- procedural, 307-314
    - definitions of, 307-308
    - interventions for, 311-314
    - research in, 308-311
- Diversity in practice, 20
- Domestic violence
- forensic nurse and, 496-497, 502
- Donor
- organ and tissue
    - identification of, 570-571
    - maintenance of, 573
- Doppler techniques
- for cardiac output measurement, 241-242
- Doxorubicin, 146
- Dressings
- for intravascular devices, 677
- Dreyfus model, 73
- Drowning, 448-449
- incidence of
    - in children, 448
  - sea water versus fresh water, 448
- Drug abuse, 53
- Drug delivery
- closed-loop control of, 211-214
- Dysplasia
- bronchopulmonary
    - neonatal, 220
- Eaton-Lambert myasthenic syndrome (ELMS), 172-174
- ECMO. See *Extracorporeal membrane oxygenation (ECMO)*.
- Education
- for sedation
    - during mechanical ventilation, 324
  - in risk management, 736-737
- Educational model, 1-6
- for acute care nurse practitioner, 1-7
- EGF (epidermal growth factor)
- for wound healing, 638-639
- Elderly
- sleep patterns in, 344
- Electrical injury, 446-447
- effects of, 445-446
  - mechanisms of, 447
  - treatment of, 448
- Electromagnetic radiation. See also *Radiant energy*.
- extremely low frequency, 290-291
  - natural, 287, 290
  - spectrum of, 287-288
  - technologic, 288-291



- Electronic thermometer
  - infections from, 691
- Electrophysiologic monitoring, 99
- ELF. See *Extremely low frequency (ELF) electromagnetic radiation*.
- ELMS (Eaton-Lambert myasthenic syndrome), 172-174
- ELSO (extracorporeal life support organization), 259, 264
- Embolization
  - preoperative, 99
- Emergency department
  - forensic nursing role in, 497-502
  - organ and tissue donation request in
    - staff role, 570-571
  - patient's family in
    - admission to patient's resuscitation, 543-544
    - death notification of, 544-545, 549-555
    - information communication after resuscitation, 543
    - limits on emotional reactions of, 545-546
    - needs and staff guidelines for, 541-542, 551
    - notification of, 542
    - organ and tissue donation request and, 545
    - SIDS, stillbirth, death of infant and, 545
    - support on arrival of, 542-543
- Emotions
  - of child
    - in crisis, 560-562
    - in death, 563-565
  - of family
    - in pediatric trauma, 557-558
- Employee
  - intensive care unit risk to, 733
- Encephalopathy
  - radiation, 127-128
- Endocarditis
  - nonbacterial thrombotic, 175
- Enteral nutrition
  - contamination of, 689
  - delivery of, 689
  - infection risk with, 689
  - total parenteral nutrition versus, 688-689
- Enterobacter* species
  - cephalosporin resistance in, 670-671
- Entrainment
  - of biologic rhythms, 328-329
- Environment
  - contamination from, 691
  - effects on immunity
    - age-related, 613
    - nutrition in, 610
    - pharmacologic, 612
    - physical and psychologic stress, 610, 612
  - hazards in. See also *Hazard(s)*.
    - technologic, 287-295
  - isoflurane use and, 271-273
  - patient interaction with, 327-335. See also *Patient-environment interactions*.
- Environmental emergency(ies), 445-456
  - drowning, 448-449
  - hyperthermia, 450-451
  - hypothermia, 449-450
  - lightning and electricity, 445-448
  - toxins
    - ingested, 453-454, 467
    - inhaled, 454-455
    - injected, 451-452
- Ependymal cells, 81
- Ependymomas, 83, 103, 152, 166-167
- Epidermal growth factor (EGF)
  - for wound healing, 638-639
- Epiglottitis
  - pediatric, 458-459
- Erythropoietin, 141
- Escherichia coli* 0157:H7 (Jack-in-the Box burgers)
  - epidemiology of, 748
  - nursing implications of, 748
- Ethical decision making, 4
- Ethical issues
  - in physical restraint, 369
- Ethical practice
  - conflict in
    - nurse advocacy and, 389-390, 393-394
    - resolution of, 395
  - definition of, 301-302
  - environment for, 387-397. See also *Advocacy*.
  - in technologic age, 297-304
  - practice account of ethics and, 301
  - critical examination of, 301-302
  - patient needs in, 301
  - practice account of morality and, 301
  - technologic imperative and
    - patient well-being versus, 297-298, 303
    - resistance to, 302-303
  - technology and
    - allure of, 298-299
    - patient reductionism in, 299-300
    - routinization of care in, 300-301
    - use of and goals of care, 302
- Ethics
  - institutional
    - in outbreaks and epidemics, 751
    - public policy and, 2-3
- Etoposide, 146
- Evidential material
  - forensic nurse and
    - gathering and preservation of, 492-493
    - criteria for, 493
    - in traumatic injury/death, 545
  - physical, 493
- Expert systems
  - cardiopulmonary pressure ventilation oxygenation
    - protocols in, 208-211
  - description of, 207
  - in artificial intelligence, 221
  - in critical care, 207-211
  - in mechanical ventilation management, 208
  - pulmonary, 208
- Extracorporeal life support organization (ELSO), 259, 264
- Extracorporeal membrane oxygenation (ECMO)
  - centers for, 259-261
  - per state, 261
  - criteria for
    - in adults and children, 260
    - in cardiac case, 260, 265
    - in neonates, 260-261
  - extracorporeal life support versus, 259
  - mobile, 259-266
    - air transport and, 263
    - centers for, 259, 261
    - communication during, 261-262
    - equipment for, 261, 263-264
    - future of, 265
    - logistics of, 260-262
    - patient's family and, 262
    - problems in, 264
    - reimbursement for, 264-265

## Extracorporeal membrane oxygenation (ECMO)

(Continued)

team for, 261

van transport and, 262-263

systems for, 250-251

in children, 253-254

techniques in

veno-arterial, 259

venovenous, 259-260

## Extremely low frequency (ELF) electromagnetic radiation

natural, 290

## Extremely low frequency (ELF) radiation

effects of, 290-291

exposure control of, 291

## Eye movement

in neurologic assessment, 431, 433

## Family-focused care

development of, 375-386

challenges to providing, 377-378

development of

attitudes and beliefs of nurses in, 382-383

physical structures in, 384

strategies for, 376, 378-382

visitation and, 380-381, 383-384

family needs and, 375-376, 378-382. See also

Family(ies), needs of.

implementation of, 382-384

interactions of patient and family in, 377-378

nurse-family relations in, 375-382

## Family(ies)

coping mechanisms of

in pediatric trauma, 559-560

needs of, 375-376

assessment of, 378-379

assurance, 381-382

children and, 376, 381

comfort, 382

information, 378-380

proximity, 380-381

support, 381-382

of emergency department patient, 543-545, 549-555

of trauma victim

after care bereavement programs for, 519-527;

541-547

organ and tissue donation and, 572-574

pediatric trauma support program for

in sudden injury, illness, death, 557-567

## FDA (Food and Drug Administration), 141

health policy and, 729

## Fentanyl

during mechanical ventilation, 317-318

## Fibroplasia

retrolental

neonatal pulse oximetry and, 219-220

## Fibrosis

cardiomyopathic, 414, 418

## Fick equation

for cardiac output measurement, 241

Flesh-eating bacteria:  $\beta$ -hemolytic *Staphylococcus* (GAS)

epidemiology of, 747

nursing implications of, 747

## Fluconazole

resistance to, 671-672

## Flumazenil (Romazicon)

for benzodiazepine antagonism, 318-319

## 5-Fluorouracil, 139, 146

## Food and Drug Administration (FDA), 141

health policy and, 729

Foranel (isoflurane). See *Isoflurane* (Foranel).

## Foreign body aspiration

pediatric, 458, 459

## Forensic nursing, 489-507

accreditation and standards in, 496

death and, 497

definition and components of, 490-491

forensic science and, 490-492

future of

as independent services contractors, 503-506

in sexual assault, 502-503

new roles in, 490

in trauma care, 489-492

liability issues in, 496-497

need for, 492

responsibilities in, 489-502

chain of custody and, 494

investigation and documentation

of trauma, 492

of wound, 494-496

preservation of evidence, 492-493

processing of clothing, 493-494

sudden and unexpected death in clinical areas, 497-502

anatomic gifts and, 498-500

family and psychological impact, 500-502

in delivery room, 497

in emergency department, 497-498

prevention of, 501-502

theoretical foundation of, 490-491

Forensic science. See also *Forensic nursing*.

forensic nursing and, 490-492

impact on nursing, 490-492

theoretical foundation of, 490-491

## Frameless stereotaxis, 98-99

## Freedom, nurse's, and moral agency, 392-393

## Frostbite injury, 628-629

## Fungal infection

in solid-organ transplant recipient, 646

in traumatic and burn injuries, 636-637

## Fuzzy logic

for pulse oximeter alarm, neonatal, 222-223

in intuition and pulse oximetry, 223

theory of, 221

## Gamma knife, 110, 112

## Ganciclovir (GCV), 179-181

## Ganglioglioma, 164

## Gastric pH monitoring

gastric tonometer for, 245-246

## Gastric tonometer

for gastric pH monitoring, 245-246

GBM. See *Glioblastoma multiforme* (GBM).GCS. See *Glasgow Coma Scale* (GCS).

## GCS (Glasgow Coma Scale)

in neurologic assessment, 429

## G-CSF (granulocyte colony-stimulating factor), 141, 613-614

GCV. See *Ganciclovir* (GCV).

## Gene therapy, 179-181

follow-up and evaluation of, 181

for brain tumors, 180-181

in surgically accessible tumors, 180

in surgically inaccessible tumors, 180



- objectives of, 180
- treatment phase in, 180-181
- with ganciclovir, 179-180
- Gene transfer, 179
- General core content, 2-3
- Genital herpes
  - epidemiology of, 744-745
  - nursing implications of, 745
- Germ cell tumors, 84-85
- Germinomas, 85
- Glasgow Coma Scale (GCS)
  - in neurologic assessment, 429
  - in sensory stimulation programs
    - for patient assessment, 355-357
    - for program evaluation, 359
- Glial cells, 81
- Glial tumors, 164-165
- Glioblastoma multiforme (GBM), 103, 115
- Glioblastomas, 103
- Glioma(s)
  - brain, 103-113
  - brain stem, 165-166
  - low-grade, 106
  - mixed, 103-104, 164
- GM-CSF (granulocyte macrophage-colony-stimulating factor), 141, 613-614
- GME (graduate medical education), 9
- Graduate medical education (GME), 9
- Granulocyte-colony-stimulating factor (G-CSF), 141, 613-614
- Granulocyte macrophage-colony-stimulating factor (GM-CSF), 141, 613-614
- Greenwood, James, 91
- Grief
  - of child, 563-565
  - of family of, 549
  - of staff members
    - for colleague's death, 537-539
- Groshong catheter, 680
- Growth factor antagonists, 109
- Growth hormone-secreting tumors, 87
- Guidelines versus practice protocols, 18-19
- Guilt
  - for death
    - child's, 565
    - parental, 560
- Gunshot wounds
  - forensic nurse and, 495-496
- Gustatory stimulation
  - in sensory stimulation program, 358-359
- Habituation response
  - in information processing, 354
- Halogenated pyrimidine, 139
  - analogs of, 109
- Haloperidol
  - during mechanical ventilation, 319
- Halstead, William, 91
- Hand washing and infection risk
  - literature review of: 1987-1993
    - article categories in, 617-618
    - association versus causality in, 621-622
    - experimental studies, 620-621
    - literature review of: 1987-1993, 617-625
    - nonexperimental studies, 618-620
    - relevance of, 622-623
- Hantavirus pulmonary syndrome (HPS)
  - media role in, 748
  - transmission of, 747-748
- Hartford Hospital Trauma Support Program, 511-594.
  - See also *Trauma Support Program: Hartford Hospital.*
- Hazard(s)
  - electrical, 292-294
  - noise, 293-294
  - radiant energy, 287-291, 294. See also *Radiant energy.*
  - research in, 294
  - technologic environmental, 287-295
- HBO (hyperbaric oxygen) therapy
  - for wound healing, 639
- HCM (hypertrophic cardiomyopathy), 414, 417-418, 420
- Headache. See also *Migraine headache.*
  - classification of, 434
  - migraine, 434-436
- Health assessment, 3-4
- Health care. See also *Trauma care.*
  - access to, 577
  - costs of
    - for trauma, 577
  - reform of, 577-578
- Health care reform, 53
- Health care worker
  - emergency department
    - role on trauma support team, 517
- Health crises
  - beliefs and customs related to
    - cross-cultural, 581-594
- Health policy for infection control and epidemiology, 727-732
  - accrediting agencies and, 729-730
  - government agencies and, 727-729
  - professional associations and, 730-731
- Health promotion, 3
- Heart rate, effect on, of environmental stimuli, 320
  - noise effect on, 346
- Heat stroke, 450. See also *Hyperthermia.*
- Heat therapy, 115-123. See also *Hyperthermia.*
  - biologic rationale for, 115-116
  - current controversies in, 116-118
  - effects of, 116
  - nursing management of, 121-122
  - plus chemotherapy, 116
  - plus radiation, 116
  - psychosocial issues and, 122
  - thermal dose in, 117-118
  - thermometry in, 118
  - tissue effects of, 116
- Hemangioblastomas, 87
- Hemodynamics
  - monitoring of
    - arterial blood gases in, 243
    - arterial oxygenation in, 242-243
    - cardiac function in, 241-242
    - mixed venous oxygen consumption in, 243-245
    - pulmonary artery catheter in, 240-245
    - pulse oximetry in, 242-243
    - physiology of, 239-240
- HEPA (high-efficiency particulate air) filtration
  - for tuberculosis reduction, 664-665
- Herpes simplex virus (HSV) infection, 179-180, 655
  - diagnosis, 655
  - genital, 744-745
  - patient care, 655
- Herpesvirus infections
  - HIV infection/AIDS and, 655
- Hickman catheter, 680
- HICPAC (Hospital Infection Control Practices Advisory Committee), 728

- High-efficiency particulate air (HEPA) filtration  
for tuberculosis reduction, 664-665
- HIP (Hospital Infections Program), 728
- HIV. See *Human immunodeficiency virus (HIV)*.
- HIV/AIDS and critical care, 651-659
- HIV disease  
intensive care and, 651  
spectrum of, 651  
transmission risk for  
health care worker to patient, 652  
patient to health care worker, 652  
reduction of, 652-653
- Mycobacterium tuberculosis* and, 663
- opportunistic infection risk in  
for diarrhea, 657  
for herpesvirus infections, 655  
for *Pneumocystis carinii* pneumonia, 653-655  
for varicella-zoster infection, 655-656
- HLA (human leukocyte antigen)  
in immunity, 603
- Hodgkin's disease, 172
- Holistic care, 3
- Hospital Infection Control Practices Advisory Committee (HICPAC), 728
- Hospital Infections Program (HIP), 728
- National Nosocomial Infection Surveillance System (NNIS) of, 728
- HPS. See *Hantavirus pulmonary syndrome (HPS)*.
- Human growth factor (HGF)  
for wound healing, 638-639
- Human immunodeficiency virus (HIV), 61, 84. See *HIV/AIDS and critical care*.
- Human leukocyte antigens (HLA)  
in immunity, 603
- Human plague  
media and, 750
- Hydroxyurea, 146
- Hyperactivity  
of children and death, 565
- Hyperbaric oxygen (HBO) therapy  
for wound healing, 639
- Hypercoagulable states, 175
- Hypertension, 4
- Hyperthermia, 115-123. See also *Heat therapy*.  
and brachytherapy, 120-121  
emergent, 450-451  
interstitial, 118-121
- Hypertrophic cardiomyopathy (HCM), 414, 417-418, 420
- Hypoperfusion  
subcutaneous oximetry evaluation of  
in hemorrhagic shock, 283  
in hypovolemia without shock, 282-283  
in sepsis, 283
- Hypothermia, 96-97  
emergent, 449-450
- Hypovolemia  
without shock  
subcutaneous oximetry and, 282-283
- Hypoxic cell modifiers, 109
- IAC. See *Interposed abdominal compression (IAC)*.
- ICP. See *Intracranial pressure (ICP)*.
- Immunotherapy, 181-182  
bone-marrow activity and, 613-614  
follow-up and evaluation of, 182  
for brain tumors, 181-182  
in surgically accessible, 181-182  
in surgically inaccessible, 182
- for sepsis prevention and treatment, 613-614  
objectives of, 181  
treatment phase in, 181-182  
using targeted protein toxins, 181-182
- Incidence-density calculation  
in risk and risk measurement of infection, 715
- Infant death  
support groups for, 478-479, 545
- Infarction, 175
- Infection  
catheter-associated, 675-676  
device-related  
nonintra-vascular, 685-693. See also *Nonintra-vascular infection, device-related*.  
in solid-organ transplant recipient, 643-649  
assessment of, 646-647  
common opportunistic, 647  
postoperative  
time-mediated incidence of, 646  
types of, 644-647  
preoperative infectious disease evaluation and, 643-644  
prevention/intervention for, 647-648  
transmission of, 644
- media and, 743-752. See also *Media and hot infection(s)* 743-752.
- rate of  
with intra-vascular devices, 679
- Infection control  
critical care unit structural design in, 703-705  
education for  
surveillance data sharing in, 724-725  
employees and  
education of, 709-710  
management policies and, 709  
pregnant, 711  
with communicable diseases, 711-712  
factors predisposing patients to infection and, 703-704  
historical perspective of, 727  
importance of, 737-738  
management constraints in, 703-712  
program for, 704-709  
case history, 708  
clinical practice in, 708-709  
control in, 709  
interventions in, 709  
Joint Commission on the Accreditation of Healthcare Organizations, 704, 707  
model for, 706  
prevention in, 708  
surveillance in, 704-708
- Infection control programs  
adjunctive to quality improvement and risk management, 737
- Inflammation and immunity, 601-615  
cells in  
differentiation and maturation of, 601-602  
leukocyte, 601-603  
major histocompatibility complex in, 603  
movement of, 602  
recognition by, 602-603  
cellular origins of, 601-602  
critical care environment and. See also *Environment*.  
immune alterations from, 610-613  
immunotherapy and, 613-614  
immunity in. See also *Cell-mediated immunity*.  
antibody-mediated, 607-608  
cell-mediated, 608-611

- inflammation in
  - as response syndrome, 604-605
  - macrophages in, 606
  - neutrophils in, 604-606
  - protection by, 604-606
- Information
  - family need for, 376, 378-380
  - processing of
    - neurophysiology of, 352-354
- Information systems, 191-202
  - clinical decision making and, 192
  - critical care and, 191-202
  - data in
    - agency-specific, 194-197, 199
    - domain-specific, 195, 198-199
    - patient-specific, 194-196, 198-199
  - data processes in
    - acquisition, 194-195
    - presentation, 198-199
    - storage, 195
    - transformation, 195-198
  - demand for information and, 192-193
  - population and cost environment and, 191-192
  - sharing of information
    - initiative for, 193-194
- Informed consent
  - for organ and tissue donation, 572-573
  - physical restraint and, 371
- Innovations
  - in cost-conscious environment, 399-406
    - management style and, 399-400
    - research for practice improvement and, 400-403
      - barriers to, 400
      - collaboration in, 400-401
  - Strategies to Investigate Clinical-Cost Kinetics
    - model and, 401-403
  - unit-based model for, 403-405
    - charges and resource use, 404
    - components of, 403
    - cost comparison in, 404
    - incentives in, 405
    - outcome in, 403-404
    - patient population in, 403
    - strategies in, 405
- Insomnia
  - rebound, 345
- Institute of Medicine, 19
- Intensity, 5
- Interactions
  - nurse-family
    - in family-focused care, 375-382
  - patient-environment, 327-335, 359. See also *Patient-environment interactions*.
  - patient-family, 377-378
- Interdisciplinary conferences, 50
- Interdisciplinary team, 47-49
  - activities of, 48-49
  - composition of, 47-48
  - goals of, 48
  - philosophy of, 48
  - process and, 49
- Interposed abdominal compression (IAC)
  - in cardiopulmonary resuscitation, 230-231, 234
- Intra-aortic balloon pump (IABP)
  - distress from, 310
- Intracranial hemorrhage, 175
- Intracranial pressure (ICP), 92, 96, 121, 160, 171
  - alterations in
    - pediatric emergency, 463-466
    - with intracranial volume alterations
      - emergency assessment of, 439-440, 442-443
      - from hydrocephalus shunt malformation, 440
      - herniation syndromes from, 440-441
  - monitoring devices for, 682
- Intraoperative ultrasound, 98
- Intravascular medication
  - administration sets for
    - changes of, 677-678
  - delivery devices and monitoring systems for, 675-684
    - care and maintenance of, 676-678
    - catheter-associated infection and, 675-676
    - central venous catheter, 678-680
    - central venous pressure catheter, 679, 681-682
    - devices in, 676
    - for intracranial pressure monitoring, 682
    - implanted ports, 679-690
    - insertion technique and, 676
    - left atrial catheter, 682
    - peripheral catheters, 678-679
    - peripherally inserted central catheter, 679-680
    - phlebitis and, 675, 678
    - pulmonary artery catheter, 679, 681
    - tunneled catheters, 679-680
    - ventriculostomy, 682
- Intravenous administration sets
  - care and maintenance of, 677-678
- Intuition
  - fuzzy logic and, 223
  - in clinical decision making, machines and, 222
- Iododeoxyuridine, 139
- Ionizing radiation
  - exposure reduction and, 289
  - maximum permissible dose limits for, 289
  - sources of, 288-289
  - types of, 288
- Irradiation, 125-132. See also *Radiation therapy (RT)*.
- Isoflurane (Forane)
  - description of, 268
  - for infants and children, 267-274
    - administration of, 269-270
    - nursing issues in, 273, 274
  - adverse effects of, 270-272
  - alternative to intravenous sedatives and narcotics, 268-269, 271
  - end-exhaled
    - scavenging of, 271-272
  - environmental contamination from, 271-273
    - monitoring for, 272-273
  - results with, non-US, 267
  - safety requirements and, 270-271
  - tolerance to, 270
- Isolation room
  - for tuberculosis, 664-665
  - respiratory protection devices in, 665
- JCAHCO. See *Joint Commission on Accreditation of Healthcare Organizations (JCAHCO)*.
- Joint Commission on Accreditation of Healthcare Organizations (JCAHCO)
  - health policy and, 729-730
  - quality of care and organizational performance and, 737-738
- Joint-practice model, 10-11

Karnofsky performance status (KPS), 105-106, 145  
KPS. See *Karnofsky performance status (KPS)*.  
Kurze, Theodore, 91

## Lasers

hazards with, 289-290

Left ventricular assist devices (LVADs), 251

Left ventricular hypertrophy (LVH), 418

Left-atrial catheter, 682

## Legal issues

in physical restraint, 369

## Legionnaires' disease

on cruise ship

media and, 750

Leptomeningeal metastasis, 171-172

LET (linear energy transfer), 110

## Leukocytes

in inflammation and immunity, 601-603

## Level of consciousness

in neurologic assessment, 428-430

## Liability

in forensic nursing, 496-497

## Light

bright

effect on sleep, 347

## Lightning

effects of, 445-446

injuries from, 446-447

mechanisms of, 447

treatment of, 448

Linear energy transfer (LET), 110

## Lithium

effect on sleep, 345

Lomustine, 136, 146

Long QT syndrome (LQTS)

congenital, 420-421

## Lorazepam

in mechanical ventilation, 318

LQTS (long QT syndrome), congenital, 420-421

Lung cancer, 147

LVADs (left ventricular assist devices), 251

LVH. See *Left ventricular hypertrophy (LVH)*.

## Lymphocytes

B-cell, 607-608

T-cell, 608-609

## Lymphokines

in cell-mediated immunity, 610

Lymphomas, 84

## Macrophages

in inflammation, 606

Magnetic resonance angiogram (MRA), 161

Magnetic resonance imaging (MRI), 82-83, 85-88, 93, 104, 143, 153-154

safety of, 291

Major histocompatibility complex (MHC)

in inflammation and immunity, 603

Malis, Leonard, 91

Managed care, 91

## Management style

innovations and, 399-400

## Massage

for sleep promotion, 344

Master's degree, 2-6

## Maxillary sinusitis

nosocomial

prevention of, 699

Mechanical circulatory support, 249-258

## Mechanical ventilation

closed-loop system control of, 211-212

distress from

interventions for, 311-314

research studies of, 308-311

expert systems control of, 208-211

sedation during, 315-325

current practice, 316-317

agents used, 316

dosing of, 316-317, 321, 323

monitoring of, 317, 320

medications for, 317-320

monitoring of, 317, 320

optimization of, 320-324

weaning from

distress in, 309

Media and hot infection(s), 743-752

AIDS, 745-747

antibiotic-resistant bacteria

*Escherichia coli*, 748

"flesh-eating" bacteria:  $\beta$ -hemolytic *Streptococcus*, 747

genital herpes, 744-745

hantavirus, 747-748

media and

broadcast, 743-744

lay, evaluation of, 744

print, 743

outbreaks, 750

outbreaks and epidemics

media coverage of, 750-751

potential future infections, 751

sexually transmitted diseases, 744

Medical information bus (MIB), 205-206

## Medications

effect on sleep, 344-345

for sedation

during mechanical ventilation, 317-320

intravascular. See also *Intravascular medications*.

delivery and monitoring systems for, 675-684

Medulloblastomas, 84, 166

Meningiomas, 85-86, 99, 152

Meningitis, 100

pediatric emergency, 464-465

## Metabolic cart

for cardiac output measurement, 242

Metabolic encephalopathy, 174

## Metastasis(es)

leptomeningeal, 171-172

to brain, 79-80, 143-149

issues in, 143-149

Methicillin-resistant *Staphylococcus aureus* (MRSA), 671, 749

Methotrexate, 175-176

Metronidazole, 139

MHC (major histocompatibility complex)

in inflammation and immunity, 603

MIB (medical information bus), 205-206

## Microshock

electrical, 292

Microsurgery, 91

## Midazolam

in mechanical ventilation, 318

Midline tumors, 167

- Migraine headache  
   from foods, 436  
   pathogenesis of, 434  
   symptoms of, 434-435  
   treatment of, 435-436
- Mineralizing microangiopathy, 128
- Misonidazole, 139
- MISS (Modified Injury Severity Score), 468
- Modified Injury Severity Score (MISS), 468
- Moral agency  
   conditions for, 392-393
- Moral issues  
   in physical restraint, 369
- Moral obligations  
   nurse advocacy and, 388
- Morphine, during mechanical ventilation, 317
- Morton, William, 91
- Motion artifact  
   in pulse oximetry, neonatal, 220-221
- Motor function  
   in neurologic assessment, 429-432
- MRA (magnetic resonance angiogram), 161
- MRI. See *Magnetic resonance imaging (MRI)*.
- Multidrug-resistant tuberculosis (MDR-TB), 749
- Multidrug-resistant tuberculosis (MDR-TB), 661
- Multiple trauma  
   pediatric  
     blunt, 466  
     penetrating, 466
- Muscle strength rating scale, 155
- Musculocutaneous flaps  
   free transfer of  
     subcutaneous oximetry and, 282
- Music therapy  
   for anxiety, 343-344
- Mycobacterium tuberculosis*  
   as occupational risk, 738
- Mycobacterium tuberculosis (MTB)*, 661-667  
   diagnosis of disease in, 663  
   epidemiology of, 661  
   HIV infection and, 663  
   infectious process in, 662-663  
     profession to disease in, 662-663  
     risk for, 662  
   microbiology of, 661-662  
   transmission of  
     nosocomial, 664  
     risk reduction for, 664-665
- Myelography, 153
- Myocarditis, 414, 418
- Myocardium  
   hypertrophy of, 414, 417-418, 420  
   lesions of, acute and chronic, 416-417
- Myonecrosis, bacterial, in traumatic wounds, 635-636
- NAPN. See *Neonatal advanced practice nurse (NAPN)*.
- NAPNAP (National Association of Pediatric Nurse Associates and Practitioners), 64
- Narcotics  
   intravenous  
     isoflurane versus, 268-269, 271
- National Association of Pediatric Nurse Associates and Practitioners (NAPNAP), 64
- National Institute for Occupational Safety and Health (NIOSH)  
   health policy and, 728-729
- National Institutes of Health (NIH), 19
- National Nosocomial Infection Surveillance System (NNIS), 714-715, 728
- Natural killer (NK) cells  
   in cell-mediated immunity, 609-610
- Necrosis  
   radiation-induced, 128-129
- Neonatal advanced practice nurse (NAPN), 71-75  
   future roles of, 74  
   professional development, 74-75  
   subroles of, 74
- Neonatal advanced practice nursing, 71-75  
   history of, 71-72  
   practical application of, 75  
   skill acquisition for, 73-74
- Neonatal care, 5
- Neonatal intensive care unit (NICU), 71-75
- Neonatal nurse practitioner (NNP), 71-75  
   role of, 72
- Nephrotoxicity  
   fluoride-induced, 271
- Nerve sheath tumors, 87
- Nerve(s)  
   cranial, 433  
   spinal, 431-432
- Neurilemmomas, 152
- Neuroanesthesia, 96-97
- Neuroepithelial tumors, 87
- Neurofibromas, 87
- Neuroleptic malignant syndrome, 319
- Neurologic dysfunction  
   with isoflurane, 272
- Neurologic events  
   emergent, 427-444  
     brain injury, 441-442, 463  
     cerebral blood flow alteration in, 437-439  
     general assessment in, 428-433  
     intracranial volume-pressure alterations in, 439-441  
     pain in, 434-436  
     seizures in, 436-437  
     spectrum of, 428  
     spinal cord injury, 442-443  
   pediatric, 463-466
- Neurologic involvement of systemic cancer, 171-177
- Neurologic paraneoplastic syndromes, 172-174
- Neuromuscular blockade  
   closed-loop system control of, 213  
   distress from, 310  
   during mechanical ventilation, 315, 319-320
- Neuro-oncology, 79-182  
   future of, 179-182
- Neurosurgery, 91-100  
   biopsy versus radical resection in, 92  
   bone removal in, 93  
   closed approaches in, 97  
   corticosteroids and, 95  
   diuretic agents in, 95  
   history of, 91-92  
   open approaches to, 92-97  
     infratentorial, 93  
     neuroanesthesia in, 96-97  
     positioning in, 95-96  
     preoperative preparation for, 95-97  
     skull-base, 92, 94  
     supratentorial, 93  
     transsphenoidal, 94-95  
   perioperative technology in, 97-99

- Neurosurgery (*Continued*)  
 postoperative complications of, 99  
 cerebrospinal fluid leak, 99  
 infection, 99-100  
 prophylactic antibiotics, 95
- Neutrophils  
 in inflammation, 604-606
- New technologies in critical care, 191-303
- NICU. See *Neonatal intensive care unit (NICU)*.
- NIH (National Institutes of Health), 19
- NIOSH (National Institute for Occupational Safety and Health)  
 health policy and, 728-729
- Nitrosurea, 136, 163
- NK (natural killer) cells  
 in cell-mediated immunity, 609-610
- NNIS. See *National Nosocomial Infection Surveillance System (NNIS)*.
- NNP. See *Neonatal nurse practitioner (NNP)*.
- Noise  
 control of, 293-294  
 effects of, 293  
 on sleep, 345-346  
 levels of, 293  
 sources of, 293-294
- Noninvasive infection  
 device-related, 685-693  
 from automatic implantable cardioverter-defibrillator, 685-686  
 from chest tubes, 686-687  
 from electronic thermometers, 691  
 from enteral nutrition, 688-689  
 from environmental contamination, 691  
 from peritoneal dialysis, 687-688  
 urinary tract, 689-690
- Nosocomial pneumonia, 695-702  
 Centers for Disease Control definition of, 696  
 characteristics of, 695-696  
 prevention of  
 aspiration and, 697-698  
 continuous lateral rotation therapy in, 699  
 general measures for, 700  
 maxillary sinusitis and, 699  
 pulmonary toilet and pain control and, 699  
 translocation and, 698-699  
 vaccination in, 700  
 respiratory equipment and, 696-697  
 risk factors for, 696
- NP. See *Nurse practitioner (NP)*.
- Nurse clinician  
 role of, 72-73
- Nurse practitioner (NP), 1-6, 35-40  
 acute care, 1-6, 9, 35  
 in patient, 35  
 specialty care, 9  
 tertiary, 1, 9, 35
- Nurse specialist, 35
- Nurse-managed unit  
 development of, 35-40
- Nurses in advanced practice, 1
- Nursing assessment  
 of traumatic events, 483-488  
 field triage in, 484  
 nutrition and, 487  
 pain in, 487  
 primary survey in, 484-485  
 respiratory failure in, 487  
 secondary survey in, 485-486  
 sepsis and, 486-487  
 systemic inflammatory response syndrome in, 486-487  
 transport to trauma center, 484
- Nursing curricula  
 infection surveillance in, 717
- Nursing mentorship, 75
- Nursing model, 10-11
- Nursing process  
 definition of, 427
- Nutrition  
 effect of  
 on healing, 633  
 on immunity, 610  
 nosocomial infection and, 699  
 trauma patient and, 487
- Obstructive lung disease  
 pediatric, 458-459
- Occupational Exposure to Bloodborne Pathogens: Final Rule, 729
- Occupational risks  
 employer responsibility in, 738-740  
 OSHA and, 738  
 quality improvement and, 738-740
- Occupational Safety and Health Administration (OSHA)  
 Bloodborne Pathogen Standard of, 738  
 employee risk reduction and, 733  
 Guideline for Prevention of Exposure to Tuberculosis, 729  
 health policy and, 729  
 Occupational Exposure to Bloodborne Pathogens: Final Rule of, 729
- Olfactory stimulation  
 in sensory stimulation program, 358
- Oligodendrocytes, 81
- Oligodendrogliomas, 83, 103, 164
- Omnibus Reconciliation Act of 1987  
 physical restraint and, 363
- Oncology, 3
- Opioids  
 during mechanical ventilation, 317-318
- OPO (Organ Procurement Organization), 569-570
- Optical fluorescence  
 for subcutaneous oximetry  
 advantages of, 280
- OPTN (Organ Procurement and Transplant Network), purpose of, 573
- Organ and tissue donation  
 after sudden infant death, 477  
 beliefs and customs related to, 581-594  
 customs and beliefs related to, 581-594  
 donor family support in, 521-522  
 forensic nurse and, 498-500  
 procurement for, 569-570  
 rights and responsibilities in, 569-575  
 staff request for  
 family of emergency room patient, 545, 569-570  
 steps in process of  
 consent for donation, 572-573  
 declaration of death, 572-573  
 distribution, 573-575  
 donor maintenance, 573  
 follow-up, 574  
 identification of potential donor, 570  
 organ and tissue recovery, 573  
 referral, 570-571
- Organ Procurement and Transplant Network (OPTN), purpose of, 573



- Organ Procurement Organization (OPO)  
 donor programs and, 569-570  
 OSHA. See *Occupational Safety and Health Administration (OSHA)*.
- Osteomyelitis  
 cranial, 100
- Outbreak(s)  
 cryptosporidiosis, 750  
 human plague, 750  
 human rabies, 750  
 Legionnaires' disease, 750
- Outbreak(s) and epidemics  
 hospital policy and, 750  
 institutional ethics and, 751  
 role of media in  
 role of nurse in, 751  
 staff responsibility in, 750-751
- Outcome  
 measurements of  
 nosocomial infection and, 713-714  
 positive patient, 29
- Outcome criteria, 30
- Outcome measures, 31-32
- Ovarian cancer, 172
- Oximeter sensors  
 infection from, 691
- Oximetry  
 pulse  
 in neonatal intensive care unit, 219-225. See also *Pulse oximetry (SpO<sub>2</sub>)*.  
 tissue, 275-285. See also *Subcutaneous tissue oximetry (PsgO<sub>2</sub>)*.
- Oxygen  
 in wound healing, 278, 281-282
- PA catheter. See *Pulmonary artery (PA) catheter*.
- PAC (pulmonary artery catheter), 679, 681
- Pain  
 assessment of, 435  
 definitions of, 433-434  
 effect on sleep, 342  
 headache, 434-436  
 in children  
 management of, 469  
 manifestations of, 467-468  
 management of  
 in children, 469  
 in trauma patient, 487  
 procedural, 308  
 recall of, 310  
 sources of, 434
- Pain control  
 in nosocomial pneumonia prevention, 699
- Pancuronium bromide, during mechanical ventilation, 320
- Panic  
 of children and death, 564
- Papillomas, 85
- Paragangliomas, 99
- Paraneoplastic syndromes, 173
- Pathophysiology  
 advanced, 4
- Patient satisfaction, 56
- Patient-environment interactions, 327-335  
 aspects of  
 entrainment and re-entrainment, 329-330  
 environmental docility, 329  
 temporal patterns, overt, 330-331
- biologic rhythms and, 327-329  
 case example, 331-332  
 influence of environment in, 327-329  
 optimization of  
 chronobiologic approach to, 333-334  
 chronobiologic perspective on, 331-332  
 protection of sleep-wake patterns for, 331-333  
 social interactions for, 333  
 sensory stimulation programs and, 359. See also *Sensory stimulation programs (SSPs)*.
- Patient's best interest  
 nurse advocacy for, 388
- PBRT (Radiation therapy, partial brain), 104-105
- PDGF (platelet-derived growth factor)  
 for wound healing, 638-639
- Pediatric advanced practice  
 certification in, 64-65
- Pediatric advanced practice nurse, 61-69  
 merging of roles with clinical nurse specialist, 64  
 use patterns in acute care, 62-63
- Pediatric advanced practice nursing, 61-69  
 acute care model in, 67-68  
 case management in, 68  
 clinical experts and, 67  
 consultants/educators and, 67-68  
 economic issues in, 65-67  
 future of, 68-69  
 history and current practice in, 61-62  
 management and, 68  
 medical-based, 65-66  
 merger of nursing and medical reporting and  
 accountability in, 66-67  
 nursing-based, 66  
 researchers and, 68
- Pediatric brain tumors, 159-169  
 adjuvant therapy for, 162-164  
 chemotherapy for, 163-164  
 classification of, 164-167  
 clinical presentation of, 159-160  
 diagnostic evaluation of, 159-160, 160-161  
 late effects of, 167-168  
 multidisciplinary treatment of, 168  
 posterior fossa, 160  
 postoperative care and, 162  
 radiation therapy for, 163  
 sedation for neurodiagnostic testing, 161  
 supratentorial, 160  
 surgery for, 161-162  
 types of, 160
- Pediatric care, 5, 61-69
- Pediatric emergency(ies)  
 cardiogenic shock, 461-463  
 cardiovascular  
 distributive shock, 461  
 hypovolemic shock, 460-461  
 drowning, 448  
 multiple trauma  
 clinical manifestations of, 468-469  
 epidemiology of, 466-467  
 regional trauma care for, 469-470  
 unique responses in, 463-468  
 neurologic, 461-466  
 meningitis, 464-465  
 status epilepticus, 464-466  
 traumatic brain injury, 463-464  
 preventive strategies and  
 environmental, 470  
 legislation and consumer education, 470  
 respiratory, 457-460  
 autonomic physiology in, 457-458

- Pediatric emergency(ies) (*Continued*)  
 epiglottitis, 458-459  
 foreign body aspiration, 458, 459  
 obstructive lung disease, 458-459  
 restrictive lung disease, 459-460
- Pediatric intensive care unit (PICU), 68
- Pediatric nurse practitioner, 61-69
- Pediatric Trauma Score (PTS), 468
- Pediatric trauma support program, 557-567  
 bereavement support goals of, 558-559  
 caregiver considerations in, 565-566  
 children in  
   adolescent, 561-562  
   infants and toddlers, 560  
   preadolescent, 561  
   preschoolers, 560  
   school-aged, 561  
 death and  
   children's reactions to, 564-565  
   telling to children, 562-564  
 family coping and  
   assessment of, 559-560  
   psychosocial interventions and, 559-560  
 family-centered approach of  
   children's needs in, 557-558  
   health care crisis team in, 558  
 pediatric health care team in, 558-559
- Performance evaluation  
 data sources, 30
- Perfusion  
 in wound healing, 278, 281-282  
 monitoring of  
   costs and benefits of, 239-248. See also *Cost(s)*.  
   hemodynamics and, 239-230. See also  
     *Hemodynamics*.
- Peripheral arterial catheter, 679, 681
- Peripheral intravenous catheter (PIV), 678-679
- Peripherally inserted central catheter (PICC), 679-680
- Peritoneal dialysis  
 nonintravasacular infection and  
   catheter care in, 687-688  
   dialysate solution and, 688  
   peritonitis from, 687
- Peritonitis  
 incidence of  
   with peritoneal dialysis, 687
- PET. See *Positron emission tomography (PET)*.
- Pharmacology  
 advanced, 4
- Phlebitis  
 from intravasacular medication delivery, 675, 678
- Physical restraint  
 alternatives to, assessment of, 369-371  
 as human issue, 363-373  
   humanization of use and, 369-372  
   nursing issues and, 363-369  
 attitudes toward, 364-366  
 benefits of, 369  
 complications of, 365  
 continuing education and knowledge and, 366-367  
 decision to  
   nurses versus physicians, 365-366  
   patient protection versus professionalism, 366  
 education for  
   nursing, 371-372  
 indications for, 364  
 informed consent and, 371  
 international use of, culture and, 368  
 legal, moral, ethical issues in, 369  
 predictors for, 365  
 prevalence rates of, 364-365  
 releasing of, policy issues in, 368-369  
 uses of, 362-363
- Physician-practice model, 10
- Physiology  
 advanced, 4
- PICC (peripherally inserted central catheter), 679-680
- PICU (pediatric intensive care unit), 68
- Pinealomas, 85
- Pituitary tumors, 87-88, 94
- PIV (peripheral intravenous catheter), 678-679
- PIXAR. See *Computer-generated three-dimensional imaging*.
- Platelet-derived growth factor (PDGF)  
 for wound healing, 638-639
- Pneumocystis carinii* pneumonia (PCP)  
 epidemiology of, 653-654  
 patient care in, 654-655  
 signs and symptoms of, 654
- Pneumonia  
 nosocomial, 695-702. See also *Nosocomial pneumonia*.
- Polymer implants, 138-139
- Ports  
 implanted, 679-680
- Position  
 role in sleep, 343
- Positron emission tomography (PET), 106, 112-113, 128, 161
- Posture  
 in neurologic assessment, 429-430
- Practice model, 35-41  
 in collaborative practice, 43-52
- Practice protocols, 17-23  
 development of, case study, 20-22  
 research supporting, 20
- Practitioner versus primary care nurse, 3-4
- Pregnancy  
 employee  
   infection control and, 711  
   video display terminals and, 291  
 Primary care, 3, 64
- Procarbazine, 146, 1336
- Procedures  
 distress from, 307-314  
 invasive  
   physical effects of, 307  
   psychological effects of, 307-308  
 Process documentation logs, 30
- Professional associations  
 continuous quality improvement programs and, 731  
 guidelines and standards of care of, 730-731
- Professional practice standards, 11-14
- Professional socialization, 2
- Propofol  
 during mechanical ventilation, 319
- Protocols, 47
- Proximity  
 family need for, 376, 380-381
- PsqO<sub>2</sub>. See *Pulse oximetry (PsqO<sub>2</sub>)*.
- Psychosocial and environmental considerations, 307-406
- PtCO<sub>2</sub>. See *Transcutaneous oximetry (PtCO<sub>2</sub>)*.
- PTS (Pediatric Trauma Score), 468
- Pulmonary artery (PA) catheter, 679, 681  
 clinical uses of, 240-241  
 complications of, 241  
 in cardiac function monitoring, 241-242

- in mixed venous oxygen consumption monitoring, 242-245
- Pulmonary toilet, 699
- Pulsatile assist devices, 251
- Pulse
  - blood flow and
    - in cardiopulmonary resuscitation, 228
- Pulse oximeter
  - alarm system for
    - fuzzy logic and, 222-223
  - cost of, 220
  - function of, 219
  - problems with
    - in neonatal intensive care unit, 219-220
- Pulse oximetry (PsgO<sub>2</sub>)
  - arterial oxygen monitoring and, 242-243
  - in neonatal intensive care unit, 219-225
    - fuzzy logic and, 221-223
    - intuition and, 222
    - motion artifact in, 220-221
    - problems with, 219
    - significance of, 219-220
- Pupillary response
  - in neurologic assessment, 431, 433
- QI. See *Quality improvement (QI)*.
- Quality assurance
  - versus quality improvement, 735-736
- Quality improvement (QI), 56
  - definition of quality and, 734
  - importance of, 737-738
  - methodologies of, 735-736
  - quality processes in, 734-735
  - risk management aspect of, 736-737
  - surveillance data in, 720-721
  - terminology in, 734
  - versus quality assurance, 735-736
- Quality of life, 108
- Rabies
  - human
    - media and, 750
- Radiant energy
  - extremely low frequency, 290-291, 294
  - ionizing, 288-289
  - lasers, 289-290
  - visible light, 290, 294
- Radiation encephalopathy, 127-128
- Radiation necrosis, 128-129
- Radiation Therapy Oncology Group (RTOG), 144
- Radiation therapy (RT), 103-114, 125-132, 163, 176-177
  - adverse effects of, 126-131
  - blocking techniques in, 127
  - cellular effects of, 125-126
  - conformal therapies and, 107-109
  - delayed effects of, 125-126
  - for brain tumors, 103-114
  - injury to hypothalamic-pituitary axis in, 130
  - interstitial, 145
  - nursing and
    - considerations in, 131-132
    - issues in, 110-112
    - research in, 132
  - partial brain, 104-105
  - patient and
    - assessment for, 131
    - education for, 131
  - physical principles of, 104
  - radiation sources in, 104
  - terminology in, 126
  - vasculopathy from, 126
  - whole brain, 104-105, 145
- Radionucleotide bone scanning, 153
- Radiosensitizer(s), 108-109, 139
  - chemotherapy and, 139
  - growth factor antagonists, 109
  - halogenated pyrimidine analogs, 109
  - hypoxic cell modifiers, 109
- Radiosurgery, 110
- Rancho los amigos (RLA) cognitive functioning scale
  - in sensory stimulation programs
    - for patient assessment, 355-356
    - for program evaluation, 359
- Rand Corporation, 19
- Rathke's pouch, 87
- Recklinghausen's multiple neurofibromatosis, 87
- Reference materials
  - computer access to, 206-207
- Reflex rating scale, 155
- Regression
  - of children and death, 565
- Research
  - barriers to, 400
  - death-telling project and, 549-555
    - for practice improvement
      - in cost-conscious environment, 400-405
    - in collaboration, 50-51
    - in distress, 308-311
    - in hazards, 294
    - in mechanical ventilation
      - distress during, 308-311
    - in sensory stimulation programs in brain-injured patients, 354-356
    - innovations in
      - support of, 400-403
      - use of, 2-3
- Respiratory failure
  - in trauma patient, 487
- Rest
  - promotion of, 337-349. See also *Sleep, disruption of*.
- Restraint
  - pharmaceutical. See *Sedation, during mechanical ventilation*.
  - during mechanical ventilation, 315-325
    - for pediatric patient, 267
  - physical, 363-373. See also *Physical restraint*.
- Resuscitation
  - emergency room
    - family and, 543-544
  - of trauma patient, 485
- Revised Trauma Score (RTS), 468
- Risk and risk measurement of infection, 713-718
  - epidemiologic monitoring and, 714-715
    - incidence and incidence-density calculation in, 715
    - site-specific, device-day rates in, 715
  - infection data and quality assessment in, 713-714
  - linkage with nursing education, 717
  - nosocomial infection and, 714
  - results utilization to influence practice, 717-718
  - surveillance systems and
    - data-collection problems in, 716
    - establishment of contemporary, 715-716

- Risk management (RM)  
 cost-to-benefit analysis in, 736  
 defined, 736  
 education in, 736-737  
 importance of, 737-738  
 patient as customer in, 737  
 Risk reduction measure(s), 733-741  
 economic forces and, 733-734  
 infection control, 737  
 occupational risks and, 738-739  
 quality improvement, 734-736  
 risk management programs, 736-737  
 RLA. See *Rancho los amigos (RLA) cognitive functioning scale*.  
 RM. See *Risk management (RM)*.  
 Romazicon (flumazenil)  
 for benzodiazepine antagonism, 318-319  
 RT. See *Radiation therapy (RT)*.  
 RTOG (Radiation Therapy Oncology Group), 144  
 RTS (Revised Trauma Score), 468
- Sarcomas, 86-87, 152  
 SCD. See *Sudden cardiac death (SCD)*.  
 Schwann cells, 87  
 Schwannomas, 87, 90  
 SCLC (small-cell lung cancer), 172-174  
 Scope of practice, 11-14  
 SDD. See *Selective digestive decontamination (SDD)*.  
 Sedation  
 closed-loop system control of, 213-214  
 definitions of, 273  
 during mechanical ventilation, 315-325  
 administration of, 320-324  
 agitation and, 315-316, 321-322  
 assessment of, 320-321  
 benzodiazepines for, 318-319  
 dosing schedules for, 321, 323  
 education for, 324  
 haloperidol for, 319  
 management plan for, 321-322  
 medications for, 317-320  
 comparison of, 318  
 neuromuscular blockade and, 315, 319-320  
 opioids for, 317-318  
 prn, problems with, 316, 321  
 propofol for, 319  
 protocols for, 321, 324  
 weaning from, 324  
 intravenous  
 isoflurane versus, 268-269, 271  
 Seizures  
 emergency assessment of, 436  
 emergency interventions for, 436-437  
 status epilepticus  
 pediatric, 464-466  
 Selective digestive decontamination (SDD)  
 for translocation prophylaxis, 699  
 rationale for, 670  
 studies of, 669-670  
 Self-extubation  
 from physical restraint, 369  
 Self-tolerance  
 cellular, 602  
 Sensory deprivation  
 in coma, 353  
 Sensory function  
 in neurologic assessment, 431-433  
 Sensory peripheral neuropathy, 174
- Sensory stimulation and measurement (SSAM)  
 evaluation of sensory stimulation program, 359-360  
 Sensory stimulation programs (SSPs), 353-360  
 evaluation of, 359-360  
 implementation of, 356  
 information processing and, 353-354  
 patient selection for, 356-357  
 research studies in, 354-356  
 scientific foundation for, 353  
 structure of, 357-358  
 types of, 358-359  
 Sepsis  
 hypotension and gut ischemia in  
 subcutaneous oximetry and, 283  
 trauma patient and, 486-487  
 Septic embolism, 175  
 Severity-of-illness (SOI) measures  
 of patient-specific data  
 disease-specific, 195-196  
 generic, 196-197  
 optimal use of, 196  
 Sexual violence  
 forensic nurse and, 502-505  
 Sexuality, 4  
 Sexually transmitted diseases (STDs), 744  
 SIADH (syndrome of inappropriate secretion of  
 antidiuretic hormone), 162  
 SIRS (systemic inflammatory response syndrome)  
 in trauma patient, 486-487  
 Skull-base surgery, 92, 94  
 Sleep  
 and rest promotion, 337-349  
 deprivation of  
 effects of, 341  
 disruption of  
 age and, 344  
 ambient temperature in, 346-347  
 anxiety in, 343-344  
 bright light in, 347  
 discomfort in, 342-343  
 medications in, 344-345  
 noise in, 345-346  
 pain in, 342  
 function of, 339-341  
 patient history and assessment of, 341-342  
 sleep-wake patterns and  
 protection of, 331-333  
 stages of, 337-340  
 Sleep-wake patterns  
 protection of, 331-333  
 Small-cell lung cancer (SCLC), 172-174  
 Social worker  
 emergency department/critical care  
 role on trauma support team, 516-517  
 Soft-tissue injury(ies). See also *Wound(s)*.  
 collision, 628  
 compression, 627-628  
 mechanical, 627  
 tension, 627  
 thermal, 628-629  
 SOI. See *Severity-of-illness (SOI) measures*.  
 Somnolence syndrome, 127  
 Sound therapy  
 for sleep promotion, 346  
 SPAN (system for professional advancement of nurses), 12  
 Specialty practice, 2  
 Spinal cord  
 injury to  
 assessment of, emergent, 442-443  
 motor and sensory levels of, 431-432

- Spinal cord tumors, 151-157  
 biopsy of, 153  
 bladder management and, 156  
 bowel management and, 156  
 classification of, 151  
 diagnosis of, 153-154  
 extradural, 151-152  
 extramedullary, 151-152  
 intermedullary, 151-152  
 interventions in, 156  
 intradural, 151-152  
 mobility adaptations in, 156  
 motor impairment from, 153  
 nursing assessment of, 154-155  
 nursing management of, 154-156  
 outcomes of, 155-156  
 pain control in, 156  
 pathophysiology of, 151-152  
 psychosocial support in, 156  
 radiography of, 153  
 safety and, 156  
 sensory impairment from, 153  
 signs and symptoms of, 152-153  
 sphincter disturbances from, 153  
 treatment of, 154
- Spinal seeding, 105
- Spirohydantoin mustard, 140
- SpO<sub>2</sub>. See *Pulse oximetry (SpO<sub>2</sub>)*.
- SSPs. See *Sensory stimulation programs (SSPs)*.
- Staff support  
 in trauma/death of colleague, 535-540  
 after death on duty, 536, 537  
 after terminal illness, 537, 539-540  
 critical incident debriefing in, 537, 539  
 external measures for, 539-540  
 grief responses and, 537-539  
 internal measures for, 539  
 staff needs and, 536
- Staphylococcus aureus*, 100
- Staphylococcus aureus*, methicillin resistant. See *Methicillin-resistant Staphylococcus aureus (MRSA)*.
- Status epilepticus  
 pediatric, emergency, 464-466
- Stem-cell transplantation, 138
- Stereotactic biopsy, 97
- Stereotaxis, 180
- STICK (Strategies to Investigate Clinical-Cost Kinetics)  
 model  
 for research, cost-effective, practice-improvement, 401-403
- Stillbirth  
 support of family in, 545
- Stimuli  
 environmental  
 patient response to, 330-331
- Strategies to Investigate Clinical-Cost Kinetics (STICK)  
 model  
 for research  
 cost-effective, practice-improvement, 401-403
- Streptococcus epidermidis*, 100
- Stress  
 adverse effects of, 535-536  
 physiological mechanisms in, 535
- Study on the Efficacy of Nosocomial Infection Control (SENIC), 714
- Subacute cerebellar degeneration, 172-173
- Subacute radiation syndrome, 127
- Subcutaneous tissue oximetry (PsqO<sub>2</sub>)  
 advantages of, 279  
 clinical applications of, 281-283  
 for hypoperfusion evaluation, 283  
 in wound healing studies, 281-282  
 techniques in  
 optical fluorescence, 279-281  
 polarographic, 279-280
- Suctioning  
 reactions to, 308
- Sudden cardiac death (SCD), 413-426  
 autonomic nervous system and, 423-424  
 coronary artery disease and, 416-417  
 definition of, 413  
 definition of sudden death and, 519  
 electrogenic theory of, 414-415, 418  
 epidemiology of, 413-414  
 from cocaine abuse, 423  
 from congenital anomaly, 418, 420-421  
 arrhythmogenic right ventricular dysplasia, 418  
 conduction disorders, 420  
 from hypertrophic cardiomyopathy, 414, 417-418  
 from ischemia, 421  
 from long QT syndrome, 420-421  
 from myocardial lesions, 416-417  
 from nonischemic cardiomyopathies, 418-420  
 from proarrhythmias, 422-423  
 from reperfusion, 421  
 from systemic factors  
 hemodynamic, 421-422  
 metabolic, 422  
 incidence of, 413  
 prevention of, 413-414  
 structure-function theory of  
 functional abnormalities in, 414, 419, 421  
 structural abnormalities in, 414-416
- Sudden infant death syndrome (SIDS), 473-481  
 autopsy following  
 findings in, 473  
 parental notification in, 476  
 review of, 479-480  
 community nursing follow-up, 477-478  
 definition of, 473  
 incidence and prevalence of, 474  
 investigation of, 473-474, 476, 478-479  
 nursing interventions in  
 emergency, 475  
 evaluation of episode, 475  
 legal issues, 477  
 organ and tissue donation, 477  
 parental interview and counseling, 476-477  
 pregnancy, subsequent, 480  
 prevention of, 480-481  
 risk factors for, 474-475  
 staff debriefing following, 480  
 support groups for, 478-479  
 support of family in, 545
- Sudden injury, illness, and death, 413-507  
 cardiac, 413-426  
 clinical forensic nursing and, 489-507  
 environmental, 445-456  
 neurologic, 427-444  
 pediatric, 457-471  
 sudden infant death syndrome, 473-481  
 support of victim's family and, 541-547
- Support  
 family need for, 376, 381-382

- Surgery  
 antibiotic prophylaxis in, 667-668  
 classification of  
   for postoperative wound infection risk, 668  
 Surgical laser, 98  
 Surgical microscope, 95, 97-98  
 Surgical options for brain tumor treatment, 91-102  
 Surveillance  
   for nosocomial infection control, 714  
   in infection control program, 704-708  
   systems for  
     in infection risk and risk measurement, 715-716  
 Surveillance data  
   sharing of, 719-725  
     focus teams for, 721-722  
     graphics in, 720-721  
     in infection-control education, 724-725  
     line-stay histogram in, 723  
     participation in surveillance, 722-724  
     performance improvement and, 724  
     practice of  
       in preventive activities, 720  
       in quality improvement reports, 720-721  
     roadblocks to, 719-720  
     survey of surveillance reporting practice, 722  
 Swan Ganz catheter, 681  
 Syndrome of inappropriate secretion of antidiuretic hormone (SIADH), 162  
 System for professional advancement of nurses (SPAN), 12  
 Systemic cancer, 171-177  
   neurologic complications of treatment for, 175-177  
     chemotherapy and, 175-176  
     nursing implications of, 176  
     radiation therapy and, 176-177  
   neurologic involvement in, 171-177  
   non-neoplastic neurologic complications, 174-175  
     infection, 175  
     metabolic encephalopathy, 174  
     vascular disorders, 175  
 Systemic inflammatory response syndrome (SIRS)  
   in trauma patient, 486-487
- T lymphocytes  
 cytotoxic/cytolytic, 609  
 helper/inducer, 609  
 in cell-mediated immunity, 609-609  
 suppressor, 609  
 Tactile stimulation  
   in sensory stimulation program, 359  
 TAH (total artificial heart), 250-251  
 Tamoxifen, 140  
 TBI (traumatic brain injury)  
   pediatric, 463  
 T-cell lymphocytes  
   in cell-mediated immunity, 608-610  
 Temperature  
   ambient  
     effect on sleep, 346-347  
     in hyperthermia, 451  
     in hypothermia, 450  
 Teratomas, 85  
 The future of neuro-oncology, 179-183  
 Theophylline  
   effect on sleep, 345  
 Therapeutic Intervention Scoring System (TISS), 20  
 Therapeutics  
   advanced, 4
- Thermal dose descriptors, 118  
 Thermodilution  
   for cardiac output measurement, 241  
 Thoracic pump theory  
   of cardiopulmonary resuscitation, 228, 231  
 Thrombocytopenia, 175  
 Time and motion studies, 30  
 TISS (Therapeutic Intervention Scoring System), 20  
 Tissue  
   cutaneous, 275  
   oxygenation and perfusion of  
     wound healing and, 278, 281-282  
   subcutaneous  
     description of, 275  
     oxygenation and perfusion of, 276-278  
 Tissue optode probe, 280-281  
 Tissue tonometer, 280-281  
   subcutaneous, 279  
 Total artificial heart (TAH), 250-251  
 Toxins  
   ingested, 453-454  
     by children, 467  
   inhaled, 454-455  
   injected  
     bites and stings, 452  
     marine bites and stings, 452-453  
     pit viper, 451-452  
 Training materials  
   computer access to, 206-207  
 Transcutaneous oximetry (PtCO<sub>2</sub>)  
   clinical uses of, 279  
 Translocation  
   prophylaxis for, 698-699  
 Trauma  
   causes of, 483  
   future health care and, 577-580  
   incidence of, 483  
   nomenclature and, 483  
   prevention of, 488  
 Trauma care  
   forensic specialist in, 489-490  
   future of, 577-580  
   information sharing and, 579  
   injury prevention and, 579  
   quality and outcome measures in, 580  
   survivors of, 579  
   principles of, 578  
   public health model in, 578  
 Trauma Support Program: Hartford Hospital, 511-594  
   death-telling research project and, 549-555  
   for children and families, 557-567  
   for families, 519-527; 541-547  
   for staff trauma/death, 535-540  
   for survivors of trauma, 577-580  
   organ and tissue donation in, 569-575, 581-594  
   volunteer experiences in, 531-532  
     a personal reflection, 533-534  
     staff nurse, 529-530  
 Trauma Support Team (TST)  
   Hartford Hospital, 511-518  
     evaluation of, 514-515  
     members' roles on, 514, 516-518  
     mission statement of, 513  
     need and needs assessment for, 511-513  
     objectives of, 513  
     recommendations of, 513-514  
 Traumatic brain injury (TBI)  
   pediatric, 463-464



Tuberculosis, 53. See *Mycobacterium tuberculosis* (MTB).  
Tumor embolism, 175

UAGA (Uniform Anatomical Gift Act), 572-573  
Ultrasonic aspirator, 98  
Uniform Anatomical Gift Act (UAGA), 572-573  
United Network for Organ Sharing (UNOS), 573-574  
UNOS (United Network for Organ Sharing), 573-574  
Urinary tract infection  
  incidence of, 690  
  indwelling urinary catheter in, 689-690  
  sources of, 689-690  
  urinary drainage system in, 690  
Urine  
  from urinary drainage system  
    disposal of, 690-691  
Utilitarian principles  
  institutional  
    versus ethical values, 390-391

Vaccination  
  in nosocomial pneumonia prevention, 700  
VADs. See *Ventricular assist device(s)* (VADs).  
VAE. See *Venous air embolus* (VAE).  
Vancomycin  
  resistance to, 671  
Vancomycin-resistant *Enterococcus* (VRE), 671, 749  
Variances, 56  
Varicella-zoster infection  
  HIV infection/AIDS and, 655-656  
Vasoactive drugs  
  closed-loop system delivery of, 212  
Vecuronium, during mechanical ventilation, 320  
Venous air embolus (VAE), 93, 96-97  
Venous occlusion, 175  
Ventricular assist device(s) (VADs)  
  advances in, 256  
  cardiopulmonary bypass systems, 250-251  
  centrifugal pumps, 251, 253  
  description of, 250  
  development of, 249-250  
  extracorporeal membrane oxygenation systems,  
    250-251  
  in children, 253-254  
  investigational, 251-252, 255-256  
  left ventricular, 251  
  nursing implications of, 254  
  permanent, 251-252, 254-255  
  pulsatile, 251  
  roller pumps, 251  
Ventriculostomy  
  in intracranial pressure monitoring, 682  
Vest  
  in cardiopulmonary resuscitation, 231-232  
Vestibular/kinesthetic stimulation  
  in sensory stimulation program, 359  
Victim  
  of trauma, 577-580  
    future health care of, 577-580  
  of violence, 496-497, 502-505  
Video display terminals (VDTs)  
  effects of, 290-291  
Vigilance  
  in information processing, 354  
Vincristine, 146, 175-176

Violence  
  forensic nursing and  
    domestic, 496-497, 502  
    gunshot wounds and, 495-496  
    prevention of, 501-502  
    sexual, 502-505  
    victims of, 496-497  
Viral infection  
  in solid-organ transplant recipient, 645-646  
  in traumatic and burn injuries, 636-637  
Visible light  
  as hazard, 290, 294  
Visitation  
  by family  
    adults, 380-381  
    children, 381  
  policies and practices  
    changes in institutional, 383-384  
Visual stimulation  
  in sensory stimulation program, 359  
Volunteers  
  in Trauma Support Program: Hartford Hospital,  
    529-530; 531-532; 533-534  
  role on trauma support team, 517-518  
Vulnerability, 5

Warming devices  
  for hypothermia, 450  
WBRT (whole brain radiation therapy), 104-105, 145  
Western Neuro Sensory Stimulation Profile (WNSSP),  
  359-360  
Whole brain radiation therapy (WBRT), 104-105, 145  
Withdrawal  
  children and death, 565  
Withdrawal symptoms  
  with isoflurane, 271-272  
Wound healing  
  studies of  
    subcutaneous tissue oximetry in, 281-282  
    terminology in, 278  
    tissue oxygenation and perfusion in, 278  
Wound infection  
  studies of  
    subcutaneous tissue oximetry in, 282  
Wound infection following trauma and burn injuries,  
  627-642. See also *Soft-tissue injury(ies)*; *Wound(s)*.  
Wound(s). See also *Soft-tissue injury(ies)*.  
  assessment of  
    patient history in, 629-630  
    wound history in, 629  
    wound in, 630-631  
  burns  
    types of, 628-629  
  contaminated, 632-635  
  antibiotic therapy for, 634  
  closure of  
    by secondary intention, 634  
    primary, 634  
  maintenance of tissue perfusion and, 632-633  
  nutrition optimization in, 633  
  scrubbing, debridement, drainage of, 633  
  tetanus- and nontetanus prone, 634-635  
  cultures of, 631-632  
  forensic nurse and  
    gunshot, 495-496  
    investigation of, 495-496  
  types of, 495

Wound(s) (*Continued*)

healing promotion in  
 current trends in, 639-640  
 infected  
 antimicrobials in, 637-638  
 closure of, 638-639  
 debridement of, 637  
 early recognition and, 635-636  
 resuscitation and antibiotic therapy for, 636-637

surgical  
 antibiotic prophylaxis in, 667-668  
 traumatic  
 types of, 631

X-rays, 104, 109

